

1.The <-----> element specifies a list of pre-defined options for an <input> element.

ans:-

DATALIST

2.The purpose of the <keygen> element is to provide a secure way to authenticate users

ans:-

When the form is submitted, two keys are generated, one private and one public

3.The <input type="----"> is used for input fields that should contain a date

ans:-

DATE

4.The <input type="----"> allows the user to select a month and year.

ans:-

"MONTH"

5.The <input type="-----"> allows the user to select a time (no time zone).

ans:-

TIME

6.The <input type="-----"> specifies a date and time input field, with no time zone.

ans:-

DATETIME-LOCAL

7.The <input type="-----"> is used for input fields that should contain an e-mail address.

ans:-

EMAIL

8.The <input type="-----"> is used for input fields that should contain a URL address.

ANS:-

URL

9.The autocomplete attribute specifies whether a form or input field should have autocomplete?

ans:-

ON R OFF

example-(((<form action="action_page.php" autocomplete="***on***">)))

10.The -- attribute specifies that the input field should automatically get focus when the page loads?

ans:-

AUTOFOCUS

11.The--- attribute specifies that the user is allowed to enter more than one value in the <input> element.

ans:-

MULTIPLE

12.The ---- attribute specifies a regular expression that the <input> element's value is checked against.

ans:-

PATTERN

13.Defines a caption for a <figure> element

ans:-

FIGCAPTION

14. Defines marked or highlighted text

ans:-

MARK

15. not semantic

ans:-

DIV & SPAN

16. The element specifies independent, self-contained content.

ans:-

ARTICLE

17. audio are supported & no. of by the HTML5 standard

ans:-

3 (MP3, OGG, WAV)

18. In HTML5, there are --supported video formats

ans:-

3 (MP4, WebM, and Ogg)

19. Plug-ins can be added to web pages with the <---> tag

ans:-

OBJECT OR EMBED

20. the <-----> element does not have a closing tag..

ans:-

EMBED

21. which is not an input type

ans:- METER

22. which input type will give the output of number Quantity (between 1 and 5):

ans:-

```
<input type="number" name="quantity" min="1" max="5">
```

23. which is used for input fields that should contain a telephone number.

ans:-

```
<input type="tel" value="mobile num">
```

24. which attribute specifies how the form data should be encoded when submitted

ans:-

FORMENCTYPE Attribute

25. The HTML <**CANVAS**> element is used to .

ANS:-

draw graphics, on the fly, via JavaScript

26.

ANS:-